

Author index to Volume 41

Adams C.B.T. see Bradley K.M.
Adams H. see Parkes A.B.
Afeltra A. see Paggi A.
Ahmed Ebbiary N.A., Lenton E.A. & Cooke I.D.
 Hypothalamic-pituitary ageing: progressive increase in FSH and LH concentrations throughout the reproductive life in regularly menstruating women 199
Alevizaki M., Dai K., Grigorakis S.I., Legon S. &
 Souvatzoglu A. Amylin/islet amyloid polypeptide expression in medullary carcinoma of the thyroid: correlation with the expression of the related calcitonin/CGRP genes 21
Allolio B. see Arlt W.
Almeida J.M.M. see Bugalho M.J.G.M.
Amino N. see Hidaka Y.
Anderson D.C. see O'Driscoll J.B.
Anslow P.J. see Bradley K.M.
Ardaens Y. see Dewailly D.
Arita N. see Hashimoto K.
Arlt W., Reincke M., Siekmann L., Winkelmann W. &
 Allolio B. Suramin in adrenocortical cancer: limited efficacy and serious toxicity 299
Arreaza G. see Yoshikawa N.
Atkin S.L., Landolt A.M., Foy P., Jeffreys R.V., Hipkin L.
 & White M.C. Effects of insulin-like growth factor-I on growth hormone and prolactin secretion and cell proliferation of human somatotrophinomas and prolactinomas *in vitro* 503
Atkinson A.B. see Hunter S.J.
Aunsholt N.Aa. see Steffensen F.H.

Badonnel Y., Barbé F., Legagneur H., Poncelet E. &
 Schweitzer M. Inhibin as a marker for hydatidiform mole: a comparative study with the determinations of intact human chorionic gonadotrophin and its free β -subunit 155
Bang P. see Fredstorp L.
Bangah M. see Burger H.G.
Barbé F. see Badonnel Y.
Bauerfeld C. see Mitchell R.
Baylis P.H. see Phillips E.M.G.
Beardwell G.G. see Toogood A.T.
Beastall G.H. see Quin J.D.
Beck-Peccoz P. see Gil-del-Alamo P.
Beckett G. see Garton M.
Bengtsson B.-Å. see Oscarsson J.
Beitins I.Z. see Williams N.I.

Belchetz P.E. see Orme S.M.
Bengtsson B.-Å. see Landin-Wilhelmsen K.
Bergh T. see Holte J.
Berghout A., Endert E., Ross A., Hogerzeil H.V., Smits N.J.
 & Wiersinga W.M. Thyroid function and thyroid size in normal pregnant women living in an iodine replete area 375
Berne C. see Holte J.
Berrod J.-L. see Rieu M.
Berth-Jones J. see Bourke J.F.
Bertolodo F. see Locascio V.
Besser G.M. see Jones S.L.
Besser G.M. see Kirk J.M.W.
Besser G.M. see Trainer P.J.
Besser G.M. see Williams N.I.
Betteridge J. see Franklyn J.
Bettica P. see Locascio V.
Bevan J.S. & Davis J.R.E. Commentary Cabergoline: an advance in dopaminergic therapy 709
Bizzarri G. see Verde G.
Bjerre P. see Hansen T.B.
Björnstorp P. see Oscarsson J.
Black E.G. see Parkes A.B.
Bloom S.R. see Hussain A.
Blum W.F. see Juul A.
Bollerslev J. see Hansen T.B.
Borbujo J. see Diez J.J.
Bouloux P.-M.G. see Kirk J.M.W.
Bourke J.F., Berth-Jones J., Mumford R., Iqbal S.J. &
 Hutchinson P.E. High dose topical calcipotriol consistently reduces serum parathyroid hormone levels 295
Boutignon F. see Laron Z.
Bradley K.M., Adams C.B.T., Potter C.P.S., Wheeler D.W.,
 Anslow P.J. & Burke C.W. An audit of selected patients with non-functioning pituitary adenoma treated by transsphenoidal surgery without irradiation 655
Braeckman J. see Verhelst J.
Braga V. see Locascio V.
Brask S. see Kassem M.
Braund W.J. see Vasikaran S.D.
Brooks A.N. see Cooper E.S.
Bugalho M.J.G.M., Roque L., Sobrinho L.G., Hoog A.,
 Nunes J.F.M., Almeida J.M.M., Leitão C.N.,
 Santos J.R., Pereira M.C., Santos M.A. & Soares J.
 Case report Calcitonin-producing insulinoma: clinical, immunocytochemical and cytogenetical study 257

Bullen B.A. see Williams N.I.

Bundred N.J. see Walls J.

Burger H.G. Commentary Inhibin as a tumour marker 151

Burger H.G., Hee J.P.C., Mamers P., Bangah M., Zissimos M. & McCloud P.I. Serum inhibin during lactation: relation to the gonadotrophins and gonadal steroids 771

Burke C.W. see Bradley K.M.

Burke C.W. see Vilar L.

Burns S. see Wallace E.M.

Burrin J.M. see Weaver J.U.

Butler J. see Nicholson L.B.

Butler T. see Phillips E.M.G.

Caccavo D. see Paggi A.

Caird L.E., Reid-Thomas V., Hannan W.J., Gow S. & Glasier A.F. Oral progestogen-only contraception may protect against loss of bone mass in breast-feeding women 739

Callender M.E. see Hunter S.J.

Carlsson L.M.S. see Clayton K.L.

Carotenuto P. see Pozzilli P.

Casanueva F.F. see Leal-Cerro A.

Chan A., Shinde R., Chow C.C., Cockram C.S. & Swaminathan R. Hyperinsulinaemia and Na^+ , K^+ -ATPase activity in thyrotoxic periodic paralysis 213

Chanson P. see Warnet A.

Cheetham T.D. see Clayton K.L.

Chew S.L. see Jenkins P.J.

Chodakowska J. see Feltynowski T.

Chow C.C. see Chan A.

Christiansen J.S. see Jørgensen J.O.L.

Christiansen J.S. see Laursen T.

Christiansen J.S. see Thuesen L.

Ciccarelli E., Zini M., Grottoli S., Razzore P., Portioli I. & Valcavi R. Impaired prolactin response to arginine in patients with hyperthyroidism 371

Clayton K.L., Holly J.M.P., Carlsson L.M.S., Jones J., Cheetham T.D., Taylor A.M. & Dunger D.B. Loss of the normal relationships between growth hormone, growth hormone-binding protein and insulin-like growth factor-I in adolescents with insulin-dependent 517

Clayton R.N. see Patel M.C.

Cockram C.S. see Chan A.

Compston J.E., Smith E.M., Matthews C. & Schofield P. Whole body composition and regional bone mass in women with insulin-dependent diabetes mellitus 289

Cooke I.D. see Ahmed Ebbiary N.A.

Cooper E.S., Brooks A.N., Miller M.R. & Greer I.A. Corticotrophin-releasing factor immunostaining is present in placenta and fetal membranes from the first trimester onwards and is not affected by labour or administration of mifepristone 677

Cotterill A.M. see Quin J.D.

Cramer D. see Williams N.I.

Crickmer S.D. see Livingstone V.H.

Cuneo R.C. see Salomon F.

Cunningham S. see Walsh C.H.

Cunningham S.K. & McKenna T.J. Dissociation of adrenal androgen and cortisol secretion in Cushing's syndrome 795

D'Hulster D. see Verhelst J.

Dai K. see Alevizaki M.

Daniels M. see Williamson E.A.

Daughaday W.H. see Hunter S.J.

Davies M. Commentary Secondary hyperadrenalinism with hypercalcaemia 263

Davies M.C. see Gulekil B.

Davies M.J. & Howlett T.A. Audit in Endocrinology Imaging in endocrinology: use of a potential methodology for audit consensus development 385

Davis J.R.E. see Bevan J.S.

Daykin J. see Franklyn J.

De Waal W.J., Hokken-Koelga A.C.S., Stijnen Th., Keizer-Schrama S.M.P.F. de M. & Drop S.L.S. Endogenous and stimulated GH secretion, urinary GH excretion, and plasma IGF-I and IGF-II levels in prepubertal children with short stature after intrauterine growth retardation 621

de Zegher F. see Van den Berghe G.

Dechaud H. see Pascale M.-M.

Deghenghi R. see Laron Z.

Delitala G. see Pozzilli P.

Delpiano S. see Verde G.

Demaine A.G. see Nicholson L.B.

Denis L. see Verhelst J.

Dewailly D., Robert Y., Helin I., Ardaens Y., Thomas-Desrousseaux P., Lemaitre L. & Fossati P. Ovarian stromal hypertrophy in hyperandrogenic women 557

Dieguez C. see Leal-Cerro A.

Diez J.I. & Borbujo J. Letter Anti-cardiolipin antibodies in autoimmune thyroid disease 697

Dionisi-Vici C. see Meeran K.

Drop S.L.S. see De Waal W.J.

Duffy J. see Fiad T.M.

Dunger D.B. see Clayton K.L.

Dutrieux-Berger N. see Pascale M.-M.

Edén S. see Oscarsson J.

Endert E. see Berghout A.

Eriksen E.F. see Kassem M.
 Ewins D.L. see Nicholson L.B.

Fabbrini R. see Verde G.
 Faber J. see Nygaard B.
 Faglia G. see Gil-del-Alamo P.
 Feltnowski T., Ignatowska-Świtalska H., Wocial B., Lewandowski J., Chodakowska J. & Januszewicz W. Postural stimulation test in patients with aldosterone producing adenomas 309
 Ferri G.M. see Paggi A.
 Fiad T.M. see McKenna T.J.
 Fiad T.M., Duffy J. & McKenna T.J. Case report Multiple spuriously abnormal thyroid function indices due to heterophilic antibodies 391
 Fisher B.M. see Quin J.D.
 Fossati P. see Dewailly D.
 Foster S. see Williamson E.A.
 Fox K. see Livingstone V.H.
 Foy P. see Atkin S.L.
 Franklyn J., Betteridge J., Holder R., Daykin J., Lilley J. & Sheppard M. Bone mineral density in thyroxine treated females with or without a previous history of thyrotoxicosis 425
 Fredstorp L., Kutz K. & Werner S. Treatment with octreotide and bromocriptine: an open pharmacodynamic interaction study 103
 Fredstorp L., Werner S., Bang P. & Hall K. Inverse correlation between insulin-like growth factor binding protein-1 and insulin in patients with acromegaly during treatment with the somatostatin analogue octreotide 495
 Frenkel J. see Laron Z.
 Frölich M. see Schweitzer D.H.

Gafny M., Silbergeld A., Klinger B., Wasserman M. & Laron Z. Comparative effects of GH, IGF-I and insulin on serum sex hormone binding globulin 169
 Gallotti C. see Verde G.
 Garcia-Garcia E. see Leal-Cerro A.
 Garton M., Reid I., Loveridge N., Robins S., Murchison L., Beckett G. & Reid D. Bone mineral density and metabolism in premenopausal women taking L-thyroxine replacement therapy 747
 Gelli D. see Verde G.
 Gennarelli G. see Holte J.
 Gennari C. Commentary Glucocorticoid induced osteoporosis 273
 Gil-Ad I. see Laron Z.

Gil-del-Alamo P., Pettersson K.S.I., Saccomanno K., Spada A., Faglia G. & Beck-Peccoz P. Abnormal response of luteinizing hormone beta subunit to thyrotrophin-releasing hormone in patients with non-functioning pituitary adenoma 661
 Gilbert I. see Williams N.I.
 Gilfillan C.P. & Robertson D.M. Development and validation of a radioimmunoassay for follistatin in human serum 453
 Glasier A.F. see Caird L.E.
 Glinoer D. Commentary Radioiodine therapy of non-toxic multinodular goitre 713
 Gout P.W. see Livingstone V.H.
 Gow S. see Caird L.E.
 Gram J. see Hansen T.B.
 Grant D.B. see Kirk J.M.W.
 Greaves J.D. see Hussain A.
 Greer I.A. see Cooper E.S.
 Grigorakis S.I. see Alevizaki M.
 Grossman A. see Jones S.L.
 Grottoli S. see Ciccarelli E.
 Gulekil B., Davies M.C. & Jacobs H.S. Effect of treatment on established osteoporosis in young women with amenorrhoea 275
 Gullausseau P.-J. see Warnet A.

Hagen C. see Hansen T.B.
 Hall K. see Fredstorp L.
 Hall L. see Levy A.
 Hall R. see Parkes A.B.
 Hamdy N.A.T. see Schweitzer D.H.
 Hammond P.J. see Hussain A.
 Hannan W.J. see Caird L.E.
 Hansen T.B., Gram J., Bjerre P., Hagen C. & Bollerslev J. Body composition in active acromegaly during treatment with octreotide: a double-blind, placebo-controlled cross-over study 323
 Harkness L.M. see Wallace E.M.
 Harris P.E. see Williamson E.A.
 Harvey D.R. see Meieran K.
 Hashimoto K., Koga M., Kouhara H., Arita N., Hayakawa T., Kishimoto T. & Sato B. Expression patterns of messenger ribonucleic acids encoding prohormone convertases (PC2 and PC3) in human pituitary adenomas 185
 Hayakawa T. see Hashimoto K.
 Hee J.P.C. see Burger H.G.
 Hegedus L. see Nygaard B.
 Helin I. see Dewailly D.
 Hewison M. see Rut A.R.

Hidaka Y., Tamaki H., Iwatani Y., Tada H., Mitsuda N. & Amino N. Prediction of post-partum Graves' thyrotoxicosis by measurement of thyroid stimulating antibody in early pregnancy 15

Higginson J. see O'Driscoll J.B.

Hipkin L. see Atkin S.L.

Ho K.K.Y. & Weissberger A.J. Characterization of 24-hour growth hormone secretion in acromegaly: implications for diagnosis and therapy 75

Hochberg Z., Leiberman E., Landau H., Koren R. & Zadik Z. Age as a determinant of the impact of growth hormone therapy on predicted adult height 331

Hogerzeil H.V. see Berghout A.

Hokken-Koelga A.C.S. see De Waal W.J.

Holdaway I.M. see Rajasoorya C.

Holder R. see Franklyn J.

Holland A. see Nicholson L.B.

Holly J. see Trainer P.J.

Holly J.M.P. see Clayton K.L.

Holly J.M.P. see Quin J.D.

Holte J., Bergh T., Berne C. & Lithell H. Serum lipoprotein lipid profile in women with the polycystic ovary syndrome: relation to anthropometric, endocrine and metabolic variables 463

Holte J., Bergh T., Gennarelli G. & Wide L. The independent effects of polycystic ovary syndrome and obesity on serum concentrations of gonadotrophins and sex steroids in premenopausal women 473

Hoog A. see Bugalho M.J.G.M.

Horowitz M. see Nordin B.E.C.

Hosoya T. see Ohyama Y.

Houben A.J.H.M. see Mudde A.H.

Howell A. see Walls J.

Howlett T.A. see Davies M.J.

Hughes J.M.B. see Hussain A.

Hughes M.R. see Rut A.R.

Hunter S.J., Daughaday W.H., Callender M.E., McKnight J.A., McIlrath E.M., Teale J.D. & Atkinson A.B. Case report A case of hepatoma associated with hypoglycaemia and overproduction of IGF-II (E-21): beneficial effects of treatment with growth hormone and intrahepatic adriamycin 397

Husain M. see Meeran K.

Hussain A., Young E.T., Greaves J.D., Hammond P.J., Hughes J.M.B., Wallis S.C. & Bloom S.R. Case report Intrapulmonary shunting causing hypoxaemia in a case of carcinoid syndrome 535

Hutchinson P.E. see Bourke J.F.

Ibbertson H.K. see Rajasoorya C.

Ignatowska-Świtalska H. see Feltynowski T.

Inada M. see Yoshikawa N.

Inouye H. see Ishimori M.

Ioannides G. see Ladas S.D.

Iqbal S.J. see Bourke J.F.

Ishimori M., Takeda N., Okumura S., Murai T., Inouye H. & Yasuda K. Increased insulin sensitivity in patients with aldosterone producing adenoma 433

Iwatani Y. see Hidaka Y.

Jacobs H.S. see Gulekil B.

Jacobs H.S. see Kyel-Mensah A.

Jacobs H.S. see Shoham Z.

Jakobsson K-E. see Oscarsson J.

Jamieson C. see Yoshikawa N.

Januszewicz W. see Feltynowski T.

Jeffcoate W. see Kong M.-F.

Jeffcoate W. see Sturrock N.D.C.

Jeffreys R.V. see Atkin S.L.

Jenkins P.J., Chew S.L., Lowe D.G., Reznik R.H. & Wass J.A.H. Case report adrenocorticotrophin-independent unilateral macronodular adrenal hyperplasia occurring with myelolipoma: an unusual case of Cushing's syndrome 827

John R. see Parkes A.B.

Jones G. see Kovacs C.S.

Jones J. see Clayton K.L.

Jones S.L., Trainer P.J., Perry L., Wass J.A.H., Besser G.M. & Grossman A. Endocrinology audit An audit of the insulin tolerance test in adult subjects in an acute investigation unit over one year 123

Jørgensen J.O.L. see Laursen T.

Jørgensen J.O.L. see Thuesen L.

Jørgensen J.O.L., Møller J., Laursen T., Ørskov H., Christiansen J.S. & Weeke J. Growth hormone administration stimulates energy expenditure and extrathyroidal conversion of thyroxine to triiodothyronine in a dose-dependent manner and suppresses circadian thyrotrophin levels: studies in GH-deficient adults 609

Jung R. Commentary Wherefore art thou brown fat? 149

Juul A., Main K., Blum W.F., Lindholm J., Ranke M.B. & Skakkebæk N.E. The ratio between serum levels of insulin-like growth factor (IGF)-I and the IGF binding proteins (IGFBP-1,2 and 3) decreases with age in healthy adults and is increased in acromegalic patients 85

Kameya T. see Ohyama Y.

Kane A. see O'Driscoll J.B.

Kassem M., Zhang X., Brask S., Eriksen E.F., Mosekild L. & Kruse T.A. Familial isolated primary hyperparathyroidism 415

Kau N. see Staib P.

Kazahari see Ohyama Y.

Keizer-Schrama S.M.P.F. de M. see De Waal W.J.

Kelestimur F., Ünlü Y., Özsesmi M. & Tolu I. A hormonal and radiological evaluation of adrenal gland in patients with acute or chronic pulmonary tuberculosis 53

Kelly W.F. see Williamson E.A.

Kendall-Taylor P. see Williamson E.A.

Kerdanet M. de, Lucas J., Lemee F. & Lecornu M. Turner's syndrome with X-isochromosome and Hashimoto's thyroiditis 673

Khin-Aye-Tha see Myo-Khin

Kirk J.M.W., Grant D.B., Savage M.O., Besser G.M. & Bouloux P.-M.G. Identification of olfactory dysfunction in carriers of X-linked Kallmann's syndrome 577

Kirk J.M.W., Savage M.O., Grant D.B., Bouloux P.-M.G. & Besser G.M. Gonadal function and response to human chorionic and menopausal gonadotrophin therapy in male patients with idiopathic hypogonadotrophic hypogonadism 57

Kirk J.M.W., Trainer P.J., Majrowski W.H., Murphy J., Savage M.O. & Besser G.M. Treatment with GHRH(1-29)NH₂ in children with idiopathic short stature induces a sustained increase in growth velocity 487

Kishimoto T. see Hashimoto K.

Klinger B. see Gafny M.

Klinger B. see Laron Z.

Koch C. see Lanng S.

Koga M. see Hashimoto K.

Kong M.-F. & Jeffcoate W. Eighty-six cases of Addison's disease 757

Kopelman P.G. Endocrine Investigation
Investigation of obesity 703

Koren R. see Hochberg Z.

Korsic M. Letter Pituitary apoplexy following GnRH 696

Kouhara H. see Hashimoto K.

Kovacs C.S., Jones G. & Yendt E.R. Case report Primary hyperparathyroidism masked by antituberculous therapy-induced vitamin D deficiency 831

Kristensen B.Ø. see Thuesen L.

Kristjansson K. see Rut A.R.

Kruse T.A. see Kassem M.

Kruseman A.C.N. see Mudde A.H.

Kutz K. see Fredstorp L.

Kyel-Mensah A. & Jacobs H.S. Commentary Ovarian stromal hypertrophy 555

Ladas S.D., Thalassinos N.C., Ioannides G. & Raptis S.A. Does acromegaly really predispose to an increased prevalence of gastrointestinal tumours? 597

Lahlou N. see Warnet A.

Lajeunie E. see Warnet A.

Landau H. see Hochberg Z.

Landin-Wilhelmsen K., Wilhelmsen L., Lappas G., Rosén T., Lindstedt G., Lundberg P.-A. & Bengtsson B.-Å. Serum insulin-like growth factor I in a random population sample of men and women: relation to age, sex, smoking habits, coffee consumption and physical activity, blood pressure and concentrations of plasma lipids, fibrinogen, parathyroid hormone and osteocalcin 351

Landolt A.M. see Atkin S.L.

Lanng S., Thorsteinsson B., Røder M.E., Nerup J. & Koch C. Insulin sensitivity and insulin clearance in cystic fibrosis patients with normal and diabetic glucose tolerance 217

Laplanche S. see Rieu M.

Lappas G. see Landin-Wilhelmsen K.

Laron Z. & Klinger B. IGF-I treatment of adult patients with Laron syndrome: preliminary results 631

Laron Z. see Gafny M.

Laron Z., Frenkel J., Gil-Ad I., Klinger B., Lubin E., Wuthrich P., Boutignon F., Lenaerts V. & Deghenghi R. Rapid communication Growth hormone releasing activity by intranasal administration of a synthetic hexapeptide (hexarelin) 539

Laursen T. see Jørgensen J.O.L.

Laursen T., Jørgensen J.O.L. & Christiansen J.S. Metabolic effects of growth hormone administered subcutaneously once or twice daily to growth hormone deficient adults 337

Lauwers P. see Van den Berghe G.

Lazarus J.H. see Parkes A.B.

Leal-Cerro A., Pumar A., Garcia-Garcia E., Dieguez C. & Casanueva F.F. Inhibition of growth hormone release after the combined administration of GHRH and GHRP-6 in patients with Cushing's syndrome 649

Lecornu M. see Kerdanet M. de

Legagneur H. see Badonnel Y.

Legon S. see Alevizaki M.

Leiberman E. see Hochberg Z.

Leitão C.N. see Bugalho M.J.G.M.

Lemaitre L. see Dewailly D.

Lemee F. see Kerdanet M. de

Lenaerts V. see Laron Z.

Lenton E.A. see Ahmed Ebbiary N.A.

Levy A., Hall L., Yedid W.A. & Lightman S.L. p53 gene mutations in pituitary adenomas: rare events 809

Lewandowski J. see Feltynowski T.
 Lightman S.L. see Levy A.
 Lilley J. see Franklyn J.
 Lindholm J. Letter Metyrapone test for h-p-a adrenocortical function 695
 Lindholm J. see Juul A.
 Lindstedt G. see Landin-Wilhelmsen K.
 Liston W.A. see Wallace E.M.
 Lithell H. see Holte J.
 Livingstone V.H., Gout P.W., Crickmer S.D., Fox K. & Prior J.C. Serum lactogens possessed normal bioactivity in patients with lactation insufficiency 193
 Lo S.S.S. see Premawardhana L.D.K.E.
 Locascio V., Braga V., Bertolodo F., Bettica P., Pasini A.F., Stefani L. & Moro L. Effect of bisphosphonate therapy and parathyroidectomy on the urinary excretion of galactosylhydroxylsine in primary hyperparathyroidism 47
 Lot G. see Warnet A.
 Loveridge N. see Garton M.
 Lowe D.G. see Jenkins P.J.
 Lubin E. see Laron Z.
 Lucas J. see Kerdanet M. de
 Luisi B. see Rut A.R.
 Lundberg P.-A. see Landin-Wilhelmsen K.
 Lynn J. see Meeran K.
 MacCuish A.C. see Quin J.D.
 Mahler Ch. see Verhelst J.
 Main K. see Juul A.
 Majrowski W.H. see Kirk J.M.W.
 Mamers P. see Burger H.G.
 Mamtora H. see O'Driscoll J.B.
 Mårin P. see Oscarsson J.
 Martinelli C.E. & Moreira A.C. Relation between growth hormone and cortisol spontaneous secretion in children 117
 Masson E.A. see White M.C.
 Matsuda M. see Sakata S.
 Matsui I. see Sakata S.
 Matsuura N. see Ohyama Y.
 Mattelaer J. see Verhelst J.
 Matthews C. see Compston J.E.
 Mawer E.B. Commentary Hyperparathyroidism masked by anti-TB therapy-induced vitamin D deficiency 837
 McArthur J.W. see Williams N.I.
 McCloud P.I. see Burger H.G.
 McGregor A.M. see Nicholson L.B.
 McIlrath E.M. see Hunter S.J.
 McKenna T.J. & Fiad T.M. Letter Metyrapone test for h-p-a function 695
 McKenna T.J. see Cunningham S.K.
 McKenna T.J. see Fiad T.M.
 McKenna T.J. see Walsh C.H.
 McKnight J.A. see Hunter S.J.
 Medbak S. see Trainer P.J.
 Meeran K., Husain M., Puccini M., Scott H., Dionisi-Vici C., Harvey D.R., Lynn J. & Thakker R.V. Case report Neonatal primary hyperparathyroidism masked by vitamin D deficiency 531
 Miller M.R. see Cooper E.S.
 Miller N. see Yoshikawa N.
 Mindermann T. & Wilson C.B. Age-related and gender-related occurrence of pituitary adenomas 359
 Mitchell R., Bauerfeld C., Schaefer F., Schärer K. & Robertson W.R. Less acidic forms of luteinizing hormone are associated with lower testosterone secretion in men on haemodialysis treatment 65
 Mitsuda N. see Hidaka Y.
 Møller J. see Jørgensen J.O.L.
 Monson J.P. see Weaver J.U.
 Moreira A.C. see Martinelli C.E.
 Moro L. see Locascio V.
 Morris H.A. see Nordin B.E.C.
 Mosekild L. see Kassem M.
 Mudde A.H., Houben A.J.H.M. & Kruseman A.C.N. Bone metabolism during anti-thyroid treatment of endogenous subclinical hyperthyroidism 421
 Mukuta T. see Yoshikawa N.
 Müller J.R. see Thuesen L.
 Mumford R. see Bourke J.F.
 Murai T. see Ishimori M.
 Murchison L. see Garton M.
 Murphy A.L. see Walsh C.H.
 Murphy J. see Kirk J.M.W.
 Myers J. see Russell-Jones D.L.
 Myo-Khin, Khin-Aye-Tha, Tin-Swe-Aye & Thein-Thein-Myint Letter Urinary human growth hormone excretion in children with haemoglobin E/β-thalassaemia 137
 Nakamura S. see Ohyama Y.
 Naoumova R. see Russell-Jones D.L.
 Need A. see Nordin B.E.C.
 Nerup J. see Lanng S.
 Ng T.T.C., O'Connell I.P.M. & Wilkins E.G.L. Case report Growth hormone deficiency coupled with hypogonadism in AIDS 689

Nicholson L.B., Wong F.S., Ewins D.L., Butler J., Holland A., Demaine A.G. & McGregor A.M. Susceptibility to autoimmune thyroiditis in Down's syndrome is associated with the major histocompatibility class II DQA 0301 allele 381

Nishikawa M. see Yoshikawa N.

Noonan M.R. see Weaver J.U.

Nordin B.E.C., Horowitz M., Need A. & Morris H.A. Renal leak of calcium in post-menopausal osteoporosis 41

Norman M.R. see Weaver J.U.

Nowara I. see Ulrich U.

Nunes J.F.M. see Bugalho M.J.G.M.

Nygaard B., Faber J. & Hegedus L. Acute changes in thyroid volume and function following ^{131}I therapy of multinodular goitre 715

O'Connell I.P.M. see Ng T.T.C.

O'Driscoll J.B., Mamtoro H., Higginson J., Kane A. & Anderson D.C. A prospective study of the prevalence of clear-cut endocrine disorders and polycystic ovaries in 350 patients presenting with hirsutism or androgenic alopecia 231

O'Riordan J.L.H. see Rut A.R.

Ogawa T. see Sakata S.

Ohyama Y., Hosoya T., Kameya T., Suzuki N., Nakamura S., Kazahari K., Shibayama K., Yokota Y. & Matsuura N. Case report Congenital euthyroid goitre with impaired thyroglobulin transport 129

Ogilvy-Stuart A.L., Wallace W.H.B. & Shalet S.M. Radiation and neuroregulatory control of growth hormone secretion 163

Okatani Y. & Sagara Y. Amplification of nocturnal melatonin secretion in women with functional secondary amenorrhoea: relation to endogenous oestrogen concentration 763

Okumura S. see Ishimori M.

Oldroyd B. see Orme S.M.

Orme S.M. & Belchetz P.E. Is a low skinfold thickness an indicator of osteoporosis? 283

Orme S.M., Simpson M., Stewart S.P., Oldroyd B., Westmacott C.F., Smith M.A. & Belchetz P.E. Comparison of changes in bone mineral in idiopathic and secondary osteoporosis following therapy with cyclical disodium etidronate and high dose calcium supplementation 245

Ørskov H. see Jørgensen J.O.L.

Oscarsson J., Ottosson M., Wiklund O., Mårin P., Vikman-Adolfsson K., Björnstorps P. & Edén S. Low dose continuously infused growth hormone results in increased lipoprotein(a) and decreased low density lipoprotein cholesterol concentrations in middle-aged men 109

Oscarsson J., Wiklund O., Jakobsson K.-E., Petruson B. & Bengtsson B.-Å. Serum lipoproteins in acromegaly before and 6–15 months after transsphenoidal adenectomy 603

Ottosson M. see Oscarsson J.

Özesmi M. see Kelestimur F.

Pacella C.M. see Verde G.

Paggi A., Caccavo D., Ferri G.M. & Afeltra A. Letter Anti-cardiolipin antibodies in autoimmune thyroid disease 698

Panunzi C. see Verde G.

Papapoulos S.E. see Schweitzer D.H.

Papini E. see Verde G.

Parkes A.B., Black E.G., Adams H., John R., Richards C.J., Hall R. & Lazarus J.H. Serum thyroglobulin: an early indicator of autoimmune post-partum thyroiditis 9

Parkin J.M. Commentary GH deficiency and hypogonadism in AIDS 693

Pascale M.-M., Pugeat M., Roberts M., Rousset H., Dechaud H., Dutrieux-Berger N. & Tourniaire J. Androgen suppressive effect of GnRH agonist in ovarian hyperthecosis and virilizing tumours 571

Pasini A.F. see Locascio V.

Patel M.C. & Clayton R.N. Letter Secondary hypoadrenalinism with hypercalcaemia 839

Pedoe D.S.T. see Williams N.I.

Pereira M.C. see Bugalho M.J.G.M.

Perry L. see Jones S.L.

Perry L. see Williams N.I.

Petruson B. see Oscarsson J.

Pettersson K.S.I. see Gil-del-Alamo P.

Phillips D.I.W. see Premawardhana L.D.K.E.

Phillips E.M.G., Butler T. & Baylis P.H. Osmoregulation of vasopressin and thirst: comparison of 20% mannitol with 5% saline as osmotic stimulants in healthy man 207

Poncelet E. see Badonnel Y.

Porsova-Dutoit I. see Warnet A.

Portioli I. see Ciccarelli E.

Potter C.P.S. see Bradley K.M.

Pozzilli P., Carotenuto P. & Delitala G. Review Lymphocytic traffic and homing into target tissue and the generation of endocrine autoimmunity 545

Premawardhana L.D.K.E., Lo S.S.S., Phillips D.I.W., Prentice L.M. & Smith B.R. Variability of serum thyroglobulin levels is determined by a major gene 725

Prentice L.M. see Premawardhana L.D.K.E.

Prior J.C. see Livingstone V.H.

Puccini M. see Meeran K.

Pugeat M. see Pascale M.-M.

Pumar A. see Leal-Cerro A.

Quin J.D., Fisher B.M., MacCuish A.C., Beastall G.H., Small M., Holly J.M.P. & Cotterill A.M. Insulin-like growth factor binding protein 1 response to acute insulin induced hypoglycaemia in Type 1 diabetes 225

Rajasoorya C., Holdaway I.M., Wrightson P., Scott D.J. & Ibbertson H.K. Determinants of clinical outcome and survival in acromegaly 95

Ranke M.B. see Juul A.

Raptis S.A. see Ladas S.D.

Ratcliffe W.A. see Walls J.

Raynaud A. see Rieu M.

Razzore P. see Ciccarelli E.

Rees L.H. see Trainer P.J.

Rees L.H. see Williams N.I.

Reid D. see Garton M.

Reid I. see Garton M.

Reid I.R. Commentary The investigation of hypercalcaemia 405

Reid-Thomas V. see Caird L.E.

Reincke M. see Arlt W.

Resetkova E. see Yoshikawa N.

Reznek R.H. see Jenkins P.J.

Richard A. see Rieu M.

Richards C.J. see Parkes A.B.

Rieu M., Raynaud A., Richard A., Laplanche S., Sambor B. & Berrod J.-L. Evidence for the effect of antibodies to TSH receptors on the thyroid ultrasonographic volume in patients with Graves' disease 667

Rinaldi R. see Verde G.

Robert Y. see Dewailly D.

Roberts M. see Pascale M.-M.

Robertson D.M. see Gilfillan C.P.

Robertson W.R. see Mitchell R.

Robins S. see Garton M.

Røder M.E. see Lanng S.

Roger M. see Warnet A.

Romalo G. see Staib P.

Roque L. see Bugalho M.J.G.M.

Rosén T. see Landin-Wilhelmsen K.

Ross A. see Berghout A.

Rossmannith W.G. see Ulrich U.

Rousset H. see Pascale M.-M.

Russell-Jones D.L., Watts G.F., Weissberger A., Naoumova R., Myers J., Thompson G.R. &

Sönksen P.H. The effect of growth hormone replacement on serum lipids, lipoproteins, apolipoproteins and cholesterol precursors in adult growth hormone deficient patients 345

Rut A.R., Hewison M., Kristjansson K., Luisi B., Hughes M.R. & O'Riordan J.L.H. Two mutations causing vitamin D resistant rickets: modelling on the basis of steroid hormone receptor DNA-binding domain crystal structures 581

Saccmanno K. see Gil-del-Alamo P.

Sagara Y. see Okatani Y.

Sakata S., Matsuda M., Ogawa T., Takuno H., Matsui I., Sarui H. & Yasuda K. Prevalence of thyroid hormone autoantibodies in healthy subjects 365

Salomon F., Cuneo R.C., Umpleby A.M. & Sönksen P.H. Glucose and fat metabolism in adults with growth hormone deficiency 315

Sambor B. see Rieu M.

Santos J.R. see Bugalho M.J.G.M.

Santos M.A. see Bugalho M.J.G.M.

Sarui H. see Sakata S.

Sato B. see Hashimoto K.

Savage M.O. see Kirk J.M.W.

Schaefer F. see Mitchell R.

Schärer K. see Mitchell R.

Schlaghecke R. see Seppel T.

Schofield P. see Compston J.E.

Schröder F.H. Review 5 α -Reductase inhibitors and prostatic disease 139

Schweikert H.-U. see Staib P.

Schweitzer D.H., Hamdy N.A.T., Frölich M., Zwinderman A.H. & Papapoulos S.E. Malignancy-associated hypercalcaemia: resolution of controversies over vitamin D metabolism by a pathophysiological approach to the syndrome 251

Schweitzer M. see Badonnel Y.

Scott D.J. see Rajasoorya C.

Scott H. see Meeran K.

Seppel T. & Schlaghecke R. Augmented 17 α -hydroxyprogesterone response to ACTH stimulation as evidence of decreased 21-hydroxylase activity in patients with incidentally discovered adrenal tumours ('incidentalomas') 445

Seret-Begue D. see Warnet A.

Seymour M.T. Commentary Intrapulmonary shunting and carcinoid syndrome 538

Shalet S.M. see Ogilvy-Stuart A.L.

Shalet S.M. see Toogood A.T.

Sheppard M. see Franklyn J.

Shibayama K. see Ohyama Y.

Shinde R. see Chan A.

Shoham Z., Zalel Y. & Jacobs H.S. Review The role of growth hormone in male infertility 1

Siekmann L. see Arlt W.

Silbergeld A. see Gafny M.

Simpson M. see Orme S.M.

Skakkebæk N.E. see Juul A.

Skakkebæk N.E. see Thuesen L.

Skrinar G.S. see Williams N.I.

Small M. see Quin J.D.

Smith B.R. see Premawardhana L.D.K.E.

Smith E.M. see Compston J.E.

Smith M.A. see Orme S.M.

Smits N.J. see Berghout A.

Soares J. see Bugalho M.J.G.M.

Sobrinho L.G. see Bugalho M.J.G.M.

Sönksen P.H. see Russell-Jones D.L.

Sönksen P.H. see Salomon F.

Souvatzoglu A. see Alevizaki M.

Spada A. see Gil-del-Alamo P.

Staib P., Kau N., Romalo G. & Schweikert H.-U. Oestrogen formation in genital and non-genital skin fibroblasts cultured from patients with hypospadias 237

Stefani L. see Locascio V.

Steffensen F.H. & Aunsholt N.Aa. Case report Hyperthyroidism associated with metastatic thyroid carcinoma 685

Stewart S.P. see Orme S.M.

Stijnen Th. see De Waal W.J.

Strada S. see Verde G.

Sturrock N.D.C. & Jeffcoate W. Letter Secondary hypoadrenalinism with hypercalcaemia 840

Suzuki N. see Ohyama Y.

Swaminathan R. see Chan A.

Tada H. see Hidaka Y.

Takeda N. see Ishimori M.

Takuno H. see Sakata S.

Tallis G.A. see Vasikaran S.D.

Tamaki H. see Hidaka Y.

Taylor A.M. see Clayton K.L.

Taylor N.F. see Weaver J.U.

Teale J.D. see Hunter S.J.

Thakker R.V. see Meeran K.

Thalassinos N.C. see Ladas S.D.

Thaventhiran L. see Weaver J.U.

Thein-Thein-Myint see Myo-Khin

Theinz G.E. Review Endocrine adaptation to intensive physical training during growth 267

Thomas-Desrousseaux P. see Dewailly D.

Thompson G.R. see Russell-Jones D.L.

Thorsteinsson B. see Lanng S.

Thuesen L., Jørgensen J.O.L., Müller J.R., Kristensen B.O., Skakkebæk N.E., Vahi N. & Christiansen J.S. Short and long-term cardiovascular effects of growth hormone therapy in growth hormone deficient adults 615

Tin-Swe-Aye see Myo-Khin

Tolu I. see Kelestimur F.

Toogood A.T., Beardwell C.G. & Shalet S.M. The severity of growth hormone deficiency in adults with pituitary disease is related to the degree of hypopituitarism 511

Tourniaire J. see Pascale M.-M.

Trainer P.J. see Jones S.L.

Trainer P.J. see Kirk J.M.W.

Trainer P.J., Holly J., Medbak S., Rees L.H. & Besser G.M. The effect of recombinant IGF-I on anterior pituitary function in healthy volunteers 801

Turnbull B.A. see Williams N.I.

Ulrich U., Nowara I. & Rossmannith W.G. Serotonergic control of gonadotrophin and prolactin secretion in women 779

Umpley A.M. see Salomon F.

Ünlü Y. see Kelestimur F.

Vahi N. see Thuesen L.

Valcavi R. see Ciccarelli E.

Van Cangh P. see Verhelst J.

Van den Berghe G. Dopamine and the sick euthyroid syndrome in critical illness 731

Van den Berghe G., De Zegher F. & Lauwers P. Dopamine and the sick euthyroid syndrome in critical illness 725

Van den Berghe G., De Zegher F., Lauwers P. & Veldhuis J.D. Luteinizing hormone secretion and hypoandrogenaemia in critically ill men; effect of dopamine 563

Van Poppel H. see Verhelst J.

Van Vliet P. see Verhelst J.

Vasikaran S.D., Tallis G.A. & Braund W.J. Case report Secondary hypoadrenalinism presenting with hypercalcaemia 261

Vasikaran S.D., Tallis G.A. & Braund W.J. Letter Secondary hypoadrenalinism with hypercalcaemia 839

Veldhuis J.D. see Van den Berghe G.

Verde G., Papini E., Pacella C.M., Gallotti C., Delpiano S., Strada S., Fabbrini R., Bizzarri G., Rinaldi R., Panunzi C. & Gelli D. Ultrasound guided percutaneous ethanol injection in the treatment of cystic thyroid nodules 719

Verhelst J., Denis L., Van Vliet P., Van Poppel H., Braeckman J., Van Cangh P., Mattelaer J., D'Hulster D. & Mahler Ch. Endocrine profiles during administration of the new non-steroidal anti-androgen Casodex in prostate cancer 525

Vikman-Adolfsson K. see Oscarsson J.

Vilar L. & Burke C.W. Quinagolide efficacy and tolerability in hyperprolactinaemic patients who are resistant to or intolerant of bromocriptine 821

Volpé R. see Yoshikawa N.

Wallace E.M., Harkness L.M., Burns S. & Liston W.A. Evaluation of maternal serum immunoreactive inhibin as a first trimester marker of Down's syndrome 483

Wallace W.H.B. see Ogilvy-Stuart A.L.

Wallis S.C. see Hussain A.

Walls J., Ratcliffe W.A., Howell A. & Bundred N.J. Parathyroid hormone and parathyroid hormone-related protein in the investigation of hypercalcaemia in two hospital populations 407

Walsh C.H., Murphy A.L., Cunningham S. & McKenna T.J. Mineralocorticoid and glucocorticoid status in idiopathic haemochromatosis 439

Warnet A., Porsova-Dutoit I., Lahliou N., Seret-Begue D., Lajeunie E., Chanson P., Wolmant F., Lot G., Gullaussau P.-J. & Roger M. Glycoprotein hormone α -subunit secretion in prolactinomas and in non-functioning adenomas 177

Wass J.A.H. see Jenkins P.J.

Wass J.A.H. see Jones S.L.

Wasserman M. see Gafny M.

Watts G.F. see Russell-Jones D.L.

Weaver J.U., Thaventhiran L., Noonan M.R., Burrin J.M., Taylor N.F., Norman M.R. & Monson J.P. The effect of growth hormone replacement on cortisol metabolism and glucocorticoid sensitivity in hypopituitary adults 639

Weeke J. see Jørgensen J.O.L.

Weetman A.P. Commentary Prediction of post-partum thyroiditis 7

Weissberger A. see Russell-Jones D.L.

Weissberger A.J. see Ho K.K.Y.

Werner S. see Fredstorp L.

Westmacott C.F. see Orme S.M.

Westphal S.A. Seasonal variation in the diagnosis of Graves' disease 27

Wheeler D.W. see Bradley K.M.

White M.C. & Masson E.A. Letter Pituitary apoplexy following GnRH 697

White M.C. see Atkin S.L.

Wide L. see Holte J.

Wiersinga W.M. see Berghout A.

Wiklund O. see Oscarsson J.

Wilhelmsen L. see Landin-Wilhelmsen K.

Wilkins E.G.L. see Ng T.T.C.

Williams N.I., McArthur J.W., Turnbull B.A., Bullen B.A., Skrinar G.S., Beitins I.Z., Besser G.M., Rees L.H., Gilbert I., Cramer D., Perry L. & Pedoe D.S.T. Effects of follicular phase exercise on luteinizing hormone pulse characteristics in sedentary eumenorrhoeic women 787

Williamson E.A., Daniels M., Foster S., Kelly W.F., Kendall-Taylor P. & Harris P.E. G_{α} and $G_{i2\alpha}$ mutations in clinically non-functioning pituitary tumours 815

Wilson C.B. see Mindermann T.

Wimalawansa S.J. Optimal frequency of administration of pamidronate in patients with hypercalcaemia of malignancy 591

Winkelmann W. see Arlt W.

Wocial B. see Feltynowski T.

Wolmant F. see Warnet A.

Wong F.S. see Nicholson L.B.

Wrightson P. see Rajasoorya C.

Wuthrich P. see Laron Z.

Yasuda K. see Ishimori M.

Yasuda K. see Sakata S.

Yendt E.R. see Kovacs C.S.

Yedulli W.A. see Levy A.

Yokota Y. see Ohyama Y.

Yoshikawa N., Arreaza G., Mukuta T., Resetkova E., Miller N., Jamieson C., Nishikawa M., Inada M. & Volpé R. Effect of FK-506 on xenografted human Graves' thyroid tissue in severe combined immunodeficient mice 31

Young E.T. see Hussain A.

Zadik Z. see Hochberg Z.

Zalel Y. see Shoham Z.

Zapf J. Commentary Non-islet-cell tumour hypoglycaemia 402

Zhang X. see Kassem M.

Zini M. see Ciccarelli E.

Zissimos M. see Burger H.G.

Zwinderman A.H. see Schweitzer D.H.

Subject index to Volume 41

Acromegaly
GH secretion, diagnosis and treatment 75
IGF, IGFBP and age 85
determinants of outcome and survival 95
interaction of bromocriptine and octreotide 103
body composition and octreotide 323
octreotide treatment, insulin and IGFBP-1 495

Addison's disease
prevalence and Synacthen test 757

Adenoma
non-functioning, size and glycoprotein hormone α -subunit 177
mRNA encoding prohormone convertases 185
postural test and aldosterone production 309
pituitary, age and sex relation 359
aldosterone producing, and insulin sensitivity 433
p53 gene mutations 809

Adrenal gland
assessment in pulmonary TB 53
tumours and 17-OHP response to ACTH 445
hyperplasia with myelolipoma in Cushing's syndrome (Case report) 827

Adrenocortical carcinoma
suramin efficacy and toxicity 299

Adriamycin
and GH in hepatoma (Case report) 397, (Commentary) 402

Age
and pituitary adenoma 359

Aldosteronism
insulin sensitivity 433

Alopecia
endocrine disorders and PCO 231

Amenorrhoea
and treatment of osteoporosis 275

ATP-ase activity
hyperinsulinaemia and thyrotoxic periodic paralysis 213

Audit
insulin tolerance test 123
imaging 385

Autoimmune thyroiditis
and MHC allele in Down's syndrome 381

Bisphosphonate
parathyroidectomy and bone loss in primary hyperparathyroidism 47

Body composition
and bone mass in women with IDDM 289
in octreotide treated acromegaly 323

Bone
renal Ca leak in post-menopausal osteoporosis 41
bisphosphonate and parathyroidectomy in primary hyperparathyroidism 47
changes in osteoporosis after Na_2 etidronate + Ca 245
mass and body composition in women with IDDM 289
metabolism and methimazole in hyperthyroidism 421
BMD in thyroxine treated females 425
loss and progestogen contraceptive 739
density in women on L-thyroxine 747

Bromocriptine
octreotide interaction in acromegaly 103

Brown fat
(Commentary) 149

Cabergoline
for prolactinoma (Commentary) 709

Calcipotriol
and PTH levels in psoriasis 295

Carcinoid syndrome
with intrapulmonary shunting causing hypoxaemia (Case report) 535, (Commentary) 538

Casodex
non-steroidal anti-androgen in prostatic cancer 525

Children
GH and cortisol secretion 117
HbE, β -thalassaemia and GH excretion (Letter) 137
endocrine adaptation, exercise and growth (Review) 267
GHRHa and growth velocity in short stature 487
GH, GHBP and IGF-I in IDDM 517
neonatal primary hyperparathyroidism masked by vitamin D deficiency (Case report) 531
intranasal hexarelin, GH releasing activity (Rapid communication) 539

hCG
and hMG in male hypogonadotrophic hypogonadism 57
marker for hydatidiform mole 155

Cortisol
and GH secretion in children 117

Cranial irradiation
and GH secretion 163

Critical illness
dopamine and sick euthyroid syndrome in 731

Cushing's syndrome
and adrenal androgen and cortisol secretion 795
adrenal hypoplasia and myelolipoma (Case report) 827

Cystic fibrosis
 insulin sensitivity and clearance and glucose tolerance 217

Diabetes
 cystic fibrosis, insulin sensitivity and clearance and glucose tolerance 217
 IGFBP-1 response to hypoglycaemia 225
 body composition and bone mass in women 289
 GH, GHBP and IGF-I in IDDM 517

Dopamine
 and sick euthyroid in critical illness 731

Down's syndrome
 autoimmune thyroiditis and MHC allele 381
 inhibin in maternal serum 483

Endocrine disorders
 and PCO with hirsutism or androgenic alopecia 231

Etidronate
 + Ca in osteoporosis 245

Exercise
 growth and endocrine adaptation (Review) 267
 and LH in women 787

Finasteride
 and prostatic disease (Review) 139

Follistatin
 assay 453

FSH
 in hypothalamic-pituitary ageing 199

Genetics
 amylin/IAPP and calcitonin/CGRP expression in medullary thyroid carcinoma 21
 of calcitonin producing insulinoma (Case report) 257
 and autoimmune thyroiditis in Down's syndrome: the MHC allele 381
 primary hyperparathyroidism and MEN syndrome 415
 and thyroglobulin levels 725
 p53 mutation in pituitary adenomas 809
 GS α and Gi2 α mutations in pituitary tumours 815

GH
 in male infertility (Review) 1
 in acromegaly, diagnosis and treatment 75
 in acromegaly and outcome of therapy 95
 infusion and lipoproteins in men 109
 and cortisol secretion in children 117
 excretion in children with HbE/ β -thalassaemia (Letter) 137
 secretion, cranial irradiation 163
 effect on SHBG 169
 deficiency, glucose and fat metabolism 315

age and adult height 331
 administration and metabolic effects 337
 effect on lipids and cholesterol precursors 345
 and adriamycin in hepatoma (Case report) 397, (Commentary) 402
 deficiency in hypopituitarism 511

GHRHa
 for short stature 487

Glucocorticoids
 and osteoporosis (Commentary) 273
 Glycoprotein hormone α -subunit and tumour size 177

Goitre
 euthyroid with impaired Tg transport (Case report) 129
 ^{131}I for multinodular non-toxic (Commentary) 713, 715

Gonadotrophins
 and serotonergic control in women 779

Graves' disease
 thyroglobulin predictor of post-partum (Commentary) 7, 9
 TSAb predictor of post-partum (Commentary) 7, 15
 seasonal variation in diagnosis 27
 effect of immunosuppressive in human/SCID mouse graft 31

Haemochromatosis
 idiopathic and mineralocorticoid and glucocorticoid status 439

HbE
 β -thalassaemia and GH excretion in children (Letter) 137

Hepatoma
 with hypoglycaemia and overproduction of IGF: effects of GH and adriamycin (Case report) 397, (Commentary) 402

Hexarelin
 nasal, GH releasing activity (Rapid communication) 539

Hirsutism
 endocrine disorders and PCO 231

Hydatidiform mole
 inhibin marker (Commentary) 151, 155

21-Hydroxylase activity
 in adrenal tumours 445

Hypercalcaemia
 with hypoadrenalinism (Case report) 261, (Commentary) 264
 PTH and PTHrP (Commentary) 405, 407

Hyperinsulinaemia
 Na^+, K^+ -ATPase activity and thyrotoxic periodic paralysis 213

Hyperparathyroidism
 hypercalcaemia, PTH and PTHrP (Commentary) 405, 407

Hyperparathyroidism (*cont.*)
 masked by anti-TB induced vitamin D deficiency
 (Case report) 831, (Commentary) 837

Hyperprolactinaemia
 quinagolide 821

Hyperthyroidism
 PRL response to arginine 371
 methimazole and bone metabolism 421

Hypoadrenalinism
 with hypercalcaemia (Case report) 261,
 (Commentary) 264

Hypogonadotrophic hypogonadism
 hCG and hMG in male 57

Hypopituitarism
 and GH deficiency 511

Hypospadia
 oestrogens from genital fibroblasts 237

IGF
 and IGFBP in acromegaly 85
 effect on SHBG 169
 effect of GH administration 337
 levels in random population 351
 in hepatoma; GH and adriamycin (Case report) 397,
 (Commentary) 402
 effect on GH, PRL secretion and somatotrophinomas and
 prolactinomas *in vitro* 503
 and anterior pituitary function 801

IGFBP
 and IGF in acromegaly 85
 response to hypoglycaemia in diabetes 225
 effect of GH administration 337
 and insulin in octreotide treated acromegaly 495

Imaging
 audit 385

Immunosuppressive macrolide antibiotic
 in human Graves' thyroid tissue/SCID mice xenograft 31

Incidentalomas
 and 17-OHP response to ACTH 445

Infertility
 GH in male (Review) 1

Inhibin
 marker for hydatidiform mole (Commentary) 151, 155
 during lactation 771

Insulin
 effect on SHBG 169
 sensitivity and clearance in cystic fibrosis and glucose
 tolerance 217
 and IGFBP-1 in octreotide treated acromegaly 495

Insulin tolerance test
 audit 123

Insulinoma
 producing calcitonin (Case report) 257

Intrapulmonary shunting
 causing hypoxaemia in carcinoid syndrome
 (Case report) 535, (Commentary) 538

Lactation insufficiency
 lactogen bioactivity 193

Lactogen
 bioactivity in lactation insufficiency 193

LH
 isoforms with low testosterone in men on haemodialysis
 65
 in hypothalamic-pituitary ageing 199
 and exercise in women 787

Lipoproteins
 and GH infusion in men 109
 in PCOS 463

Macrolide antibiotic
 immunosuppressive in human Graves' thyroid/mouse
 graft 31

Melatonin
 and oestrogen concentration in amenorrhoea 763

Men
 GH in infertility (Review) 1
 hCG and hMG in hypogonadotrophic hypogonadism 57
 on haemodialysis, LH isoforms and low testosterone 65
 GH infusion and lipoproteins 109
 5 α -reductase inhibitors and prostate disease
 (Review) 139
 oestrogens from genital fibroblasts in hypospadias 237
 pituitary adenoma 359
 non-steroidal anti-androgen Casodex in prostate cancer
 525

Metabolism
 of glucose and fat in GH deficiency 315
 and GH administration in GH deficiency 337

Methimazole
 and bone metabolism in hyperthyroidism 421

hMG
 and hCG in male hypogonadotrophic hypogonadism 57

Myelolipoma
 with adrenal hypoplasia in Cushing's syndrome
 (Case report) 827

Obesity
 endocrine investigation 703

Octreotide
 bromocriptine interaction in acromegaly 103
 and body composition in acromegaly 323
 treated acromegaly, insulin and IGFBP-1 495

Oestrogen
in genital fibroblasts from hypospadias 237

Osmoregulation
of vasopressin and thirst 207

Osteoporosis
renal Ca leak in post-menopause 41
 Na_2 etidronate + Ca 245
and glucocorticoids (Commentary) 273
treatment with amenorrhoea 275
and skinfold thickness 283

Parathyroidectomy
bisphosphonate and bone loss in primary hyperparathyroidism 47

PCO
and endocrine disorders with hirsutism or alopecia 231
and lipoproteins 463
obesity, gonadotrophin and sex steroid levels 473

Physical training
growth and endocrine adaptation (Review) 267

Pituitary
function and rIGF-I 801
adenomas and p53 gene mutation 809
 $G\alpha$ and $Gi2\alpha$ mutations in tumours 815

Post-partum thyroiditis
prediction (Commentary) 7, 9, 15

Primary hyperparathyroidism
bisphosphonate, parathyroidism and bone loss 47
familial and MEN syndrome 415
neonatal, masked by vitamin D deficiency (Case report) 531

PRL
response to arginine in hyperthyroidism 371
and serotonergic control in women 779

Prohormone convertases
expression of mRNA in pituitary adenomas 185

Prolactinoma
size and glycoprotein hormone α -subunit 177
effect of IGF-I on GH and PRL secretion *in vitro* 503
cabergoline treatment (Commentary) 709

Prostate disease
and 5α -reductase (Review) 139
non-steroidal anti-androgen Casodex effects 525

Psoriasis
calcipotriol and PTH levels 295

PTH
calcipotriol in psoriasis 295
PTHrP and hypercalcaemia (Commentary) 405, 407

PTHrP
PTH and hypercalcaemia (Commentary) 405, 407

Quinagolide
in bromocriptine resistant/intolerant hyperprolactinaemia 821

5α -Reductase inhibitors
and prostatic disease (Review) 139

Renal failure
LH isoforms and low testosterone in men on haemodialysis 65

Seasonality
in diagnosis of Graves' disease 27

Serotonin
control of gonadotrophins and PRL in women 779

SHBG
effects of GH, IGF-I and insulin 169

Sick euthyroid syndrome
and dopamine in critical illness 731

Somatotrophinomas
effect of IGF-I on GH and PRL secretion *in vitro* 503

Suramin
efficacy and toxicity in adrenocortical carcinoma 299

TB
adrenal gland assessment 53
therapy induced vitamin D deficiency masking hyperparathyroidism (Case report) 827, (Commentary) 837

β -Thalassaemia
HbE and GH excretion in children (Letter) 137

Thyroglobulin
indicator of post-partum Graves' disease (Commentary) 7, 9
synthesis in euthyroid goitre (Case report) 129
genetics 725

Thyroid
medullary carcinoma and amylin/IAPP and calcitonin/CGRP gene expression 21
in pregnancy 375
function indices and heterophilic antibodies (Case report) 391
ethanol for cystic nodules 719

Thyroid hormone autoantibodies 366

Thyrotoxic periodic paralysis
hyperinsulinaemia and Na^+ , K^+ -ATPase activity 213

Thyrototoxicosis
thyroxine treated females and BMD 425

Thyroxine
treated females and BMD 425, 747

TSAb

predictor of post-partum Graves' disease 15

Vasopressin

and thirst: mannitol and saline stimulants 207

Vitamin D deficiency

masked neonatal hyperparathyroidism 531

masked hyperparathyroidism in anti-TB therapy

(Case report) 831, (Commentary) 837

Women

predication of post-partum Graves' disease

(Commentary) 7, 9, 15

renal Ca leak in post-menopausal osteoporosis 41

lactogen bioactivity in lactation insufficiency 193

hypothalamic-pituitary ageing, FSH and LH levels 199

endocrine disorders and PCO with hirsutism or

alopecia 231

osteoporosis, Na_2 etidronate + Ca 245

treatment of osteoporosis with amenorrhoea 275

skinfold thickness and osteoporosis 283

body composition and bone mass in IDDM 289

pituitary adenoma 359

thyroid in pregnancy 375

BMD in thyroxine treatment 425

lipoproteins in PCOS 463

PCOS, obesity and gonadotrophin and sex steroid levels 473

serum inhibin as Down's marker in pregnancy 483

bone loss and progestogen contraceptive 739

on L-thyroxine and BMD 747

melatonin, amenorrhoea and oestrogen concentration 763

inhibin during lactation 771

serotonergic control of gonadotrophins and PRL 779

quinagolide in bromocriptine resistant/intolerant

hyperprolactinaemia 821